
DAVA J. NEWMAN, PH.D.
ASSISTANT PROFESSOR OF
AERONAUTICS AND ASTRONAUTICS
ELECTRONIC MAIL: DNEWMAN@MIT.EDU
(617) 258-8799



Room 33-119
MASSACHUSETTS INSTITUTE OF TECHNOLOGY
77 MASSACHUSETTS AVENUE
CAMBRIDGE, MA 02139
(617) 253-4196 (FAX)

December 19,1995

Joel L. Davis
Program Manager/Officer ONR: 342
Office of Naval Research
Ballston Tower One
800 North Quincy Street
Arlington, Virginia 22217-5660



DESCRIPTION OF THE PROPERTY OF

Dear Mr. Davis:

Please find enclosed the Quarterly Report and the Appendix for ONR Grant N00014-95-1-1312, entitled "Evaluation for Vibrotactile Systems in Helicopter Hover and EVA Environments." This Report is for the dates of September 1 through November 30, 1995.

Sincerely,
Dava & Newman CB

Dava J. Newman

Assistant Professor of Aeronautics and Astronautics

DN:cb

Approved for public release:
Distribution Unbrused

19960103 156

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hours per response, including the time for reviewing instructions, searching existing data sources gathering and maintaining the data needed, and complete and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions, for reducing this burden to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

collection of information, including suggestions, for redu Davis Highway, Suite 1204, Arlington, VA 22202-4302,	and to the Office of Management and Budget, I	Paperwork Heduction Project (07	04-0188), washington, DC 20503.	
1. AGENCY USE ONLY (Leave blank)	3. REPORT TYPE AND	ND DATES COVERED		
	12/18/95	QUARTERLY	(9/1/95 - 11/30/95)	
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS	
EVALUATION FOR VIBROTACTILE SYSTEMS IN HELICOPTER HOVER AND EVA ENVIRONMENTS			GRANT Numb N00014-95-1-13	
6. AUTHORS(S)				
NEWMAN, DAVA J.				
7. PERFORMING ORGANIZATION NAM	8. PERFORMING ORGA	NIZATION		
DEPARTMENT OF AERONA MASSACHUSETTS INSTITU 77 MASSACHUSETTS AVEN CAMBRIDGE, MASSACHUSI	REPORT NUMBER			
9. SPONSORING/MONITORING AGEN	CY NAME(S) AND ADDRESS(ES)		10. SPONSORING/MONI AGENCY REPORT	
OFFICE OF NAVAL RESEAR BALLSTON TOWER ONE 800 NORTH QUINCY STREE ARLINGTON, VA 22217-566	RCH ET		AGENCT REPORT	NOWIDER
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STA			12b. DISTRIBUTION CO	DE
13. ABSTRACT (Maximum 200 words)				
The vibrotactile (VT) advance human-machine interface, no personnel performance. The components: a sensor package computer that will condition a and the VT suit for the test helicopter hover and extrave. Integrating an Inertial Navignumerous benefits, and with grow. In addition to increase improved, CPU time has deciproven its strength in a variet flight testing and helicopter a system, much of the present.	amely, haptic stimulation throe complete vibrotactile (VT) sign to acquire motion and orient convert the sensor information pilots. Design solutions hicular activity (EVA) enviror gation System (INS) with the recent advaces in Kalmad navigation accuracy under reased and crew workload hay of capacities such as helicopproach. While research eff	bugh a VT suit to imput it system will incluse that it is a very suit to imput on the for a navigation something the Global Position in filtering technique dynamic conditions as decreased. The opter flight path cororts continue to esta	brove military de three main , a control ve signals, ensor package to be used being undertaken (See Ref. ing System (GPS) has propose, the number continues to the tracking accuracy has dual IN/GP system has alreated, flight path management ablish a portfolio for this dual	ovided eady t,
14. SUBJECT TERMS			ļ	AGES
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFIC OF ABSTRACT	ATION 20. LIMITATION OF AE	STRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSI	FIED UL	
UNOLAGOII ILD			Standard Form 298	(Rev 2-89

Appendix: ONR Grant N00014-95-1-1312, First Quarter Reference List

Bradley, D., Downes, M., & Lumsden, R. (1995). The development and filght test demonstrations of an integrated automatic recovery system to reduce the operational limitations of embarked helicopters at night and in bad weather. In AHS annual forum, 51st, Vol. 3 (A95-34426 09-01) (pp. pp. 1-22). Fort Worth, TX, May 9-11, 1995: Alexandria, VA American Helicopter Society.

Cohen, C. E.; P., Bradford W.; McNally, B.D. (1993). Flight Tests of Attitude Determination Using GPS Compared Against an Inertial Navigation Unit. In <u>Evolution through integration of current and emerging systems; Proceedings of the 1993 National Technial Meeting</u>, vol. 41 (pp. p. 83-97). San Francisco, CA, Jan 20-22., 1993 (A94-20628 04-32), Alexandria, VA, Institute of Navigation, 1993, p. 579-587:

Cohen, C. E.; P., Bradford W.; McNally, B.D. (1994). Flight Tests of Attitude Determination Using GPS Compared Against an Inertial Navigation Unit. <u>Navigation</u>, <u>vol. 41</u>(no. 1), p. 83-97.

Engelbert, H.-P. S., Johannes (1994). Landing of an Unmanned Helicopter on a Moving Platform. High Accuracy Navigation and Tracking. In <u>AGARD</u>, Pointing and <u>Tracking Systems 9p (SEE N94-36616 12-18)</u>, .


Ezekiel, S. (1964) <u>Towards a low level accelerometer</u>. MS, Massachusetts Institute of Technology, Experimental astronomy laboratory.

Greenspan, R. (1995). Inertial navigation technology from 1970-1995. Navigation, vol. 42(no. 1), pp 165-185.

Hoang, T. S., Harry N.; Biozad, Daniel J. (1994). An Investigation of Flight Algorithms Suited for Helicopter Approach Using DGPS. <u>AIAA</u>, Aerospace Sciences Meeting and Exhibit, 32nd, Reno, NV, Jan. 10-13, 1994, 8p., <u>AIAA</u> Paper 94-0275.

Hotop, H.-J. (1993). Recent Developments in Kalman Filtering With Applications in Navigation. <u>Advances in Electronics and Electron Physics</u>, <u>Vol. 85 (A94-12546 02-31)</u>, <u>San Diego</u>, <u>CA</u>, <u>Academic Press</u>, <u>Inc.</u>, <u>1993</u>, <u>P. 1-75</u>.

Howell, G., & Tang, W. (1994). A universal GPS/INS Kalman filter design. In Proceedings of the 7th international technical meeting of the satellite division of the Institute of Navigation, (pp. pp 443-451). Salt Lake City, UT, Sept 20-23, 1994. Pt 1: Alexandria, VA, Institute of Navigation, 1994.



<u>마</u>

Kaufmann, D. N. (1992). <u>Helicopter Precision Approach Capability Using the Global Positioning System</u> No. NASA-CR-194037; NAS 1.6:194037). Semiannual Progress Report, NASA Ames Research Center.

Landau, H., Hundt, R., & Pagels, C. (1994). A GPS-based high-precision positioning and guidance systen. In <u>ION GPS-94 Proceedings of the 7th international technical meeting of the satellite division of the Institute of Navigation</u>, (pp. pp 1099-1106). Salt Lake City, UT, Sept 20-23, 1994; pt. 2: Alexandria, VA, Institute of Navigation, 1994.

Male, H. B., Chris (1991). An Advanced Flight Path Management System for Lowaltitude Helicopter Flight. In IEEE/AIAA Digital Avionics Systems Conference, 10th, Los Angeles, CA, Oct 14-17, 1991, Proceedings (A92-49251 21-06). New York, Institute of Electrical and Electronics Engineers, Inc., 1991, P. 510-515: _.

May, M. B. (1993). Inertial Navigation and GPS. GPS World, Vol. 4(No. 9, Sept. 1993), p. 56, 58, 60 (5 ff.).

McMillan, C. B., Jeffrey S.; Arden, Dale A. S. (1993). A Dual Inertial Integrated Navigation System (for Canadian naval vessels). In Evolution through integration of current and emerging systems; Proceedings of the 1993 Naional Technical Meeting, . San Francisco, CA, Jan. 20-22, 1993 (A94-20628 04-32), Alexandria, VA, Institute of Navigation, 1993 p. 11-20:

Pham, T. M.; M., Dave C.; Coffee, John R. (1992). Integrated Navigation System for Tactical Helicopters. In AHS, Annual Forum, 48th, Washington, June 3-5, 1992, Proceedings. Vol 2 (A93-35901 14-01). Alexandria, VA, American Helicopter Society, 1992, P.1571-1579,

Schwartz, K., & Zhang, G. (1994). Development and testing of a low cost integrated GPS/INS. In <u>Proceedings of the 7th international technical meeting of the satellite division of the Institute of Navigation</u>, (pp. pp 1137-1144). Salt Lake City, UT, Sept 20-23, 1994; pt. 2: Alexandria, VA, Institute of Navigation, 1994.

Smith, E. F. (1950). <u>Use of angular accelerometer to improve aircraft stability</u> (Contract W33-038-ac-13969

Project RR-3

DIC project 6445 No. Report no. 6445-T-28). Massachusetts Institute of Technology, Instrumentation Laboratory.

Sun, H. (1994). Integration of INS with multiple antennas for airborne applications. In Proceedings of the 7th international technical meeting of the satellite division of the Institute of Navigation, (pp. pp 1401-1409). Salt Lake City, UT, Sept 20-23, 1994: Alexandria, VA, Institute of Navigation, 1994.

Swenson, H. N.; J., Raymond D.; Clark, Raymond (1993). Flight Evaluation of a Computer Aided Low-altitude Helicopter Flight Guidance System. <u>AGARD</u>, Combat <u>Automation for Airborne Weapon Systems: Man/Machine Interface Trends and Technologies 11p (SEE N93-28850 11-54)</u>, 11p.

Terry, W. (1994). Next generation naval helicopter avionics. In <u>AIAA/IEEE Digital</u> <u>avionics ayatems conference, 13th</u>, (pp. pp 175-180). Phoenix, AZ, Oct 30-Nov 3, 1994: Proceedings New York, Institute of Electrical and Electronics Engineers, Inc. 1994.

Whitman, H. R. (1955). Simplified analysis of typical electro-mechanical components for inertial navigation systems (USAF Contract AF 33(616)-2039 DSR Project 52-115 No. OCLC# 14162986 Call# ARCHIV/TA165.M41.I591 no.E-498). Massachusetts Institute of Technology, Instrumentation Laboratory.